

Oracle® Database

Quick Installation Guide

11g Release 2 (11.2) for Microsoft Windows (32-Bit)

E16781-01

November 2010

This guide describes how to quickly install the Oracle Database product on 32-bit Windows systems. It includes information about the following:

1. [Review Information About this Guide](#)
2. [Log On to the System with Administrator Privileges](#)
3. [Check the Hardware Requirements](#)
4. [Check the Software Requirements](#)
5. [Default Share Configuration Requirement](#)
6. [Web Browser Support](#)
7. [Installation Consideration on Windows Vista and Later](#)
8. [Install the Oracle Database Software](#)
9. [Installing Oracle Database Examples](#)
10. [What to Do Next?](#)
11. [Additional Information](#)
12. [Documentation Accessibility](#)

1 Review Information About this Guide

This guide describes how to install Oracle Database using the default installation options into a new Oracle home.

Tasks Described in this Guide

The procedures in this guide describe how to:

- Configure your system to support Oracle Database.
- Install Oracle Database software on a local file system by using the Typical installation method.
- Configure a general-purpose Oracle database that uses the local file system for database file storage.

Results of a Successful Installation

After you successfully install Oracle Database:

- The database that you created and the default Oracle Net listener process run on the system.

- Oracle Enterprise Manager Database Control is running and can be accessed using a Web browser.

Tasks Not Described in this Guide

This guide covers the Typical Installation scenario and does *not* describe how to complete the following tasks:

- Using the Advanced Installation option to install the software.
- Installing the software on a system that has an existing Oracle software installation.
- Installing Oracle Clusterware and Oracle Real Application Clusters.
- Cloning an Oracle home.
- Enabling Enterprise Manager e-mail notifications or automated backups.
- Using alternative storage options such as Oracle Automatic Storage Management.
- Installing and configuring Oracle Grid Infrastructure.

Where to Get Additional Installation Information

For more detailed information about installing Oracle Database components, including information about the tasks not described in this guide, see one of the following guides:

- If you are installing the software on a single system, then see *Oracle Database Installation Guide for Microsoft Windows*.
- If you want to install Oracle Grid Infrastructure for a standalone server, then see the "Oracle Grid Infrastructure" chapter in *Oracle Database Installation Guide for Microsoft Windows*.
- If you are installing Oracle Real Application Clusters, then see *Oracle Grid Infrastructure Installation Guide* and *Oracle Real Application Clusters Installation Guide*. These guides describe how to install Oracle Grid Infrastructure and Oracle Real Application Clusters. Oracle Grid infrastructure is a prerequisite for Oracle Real Application Clusters installations.

All these guides are available on the product media. To access these guides, use a Web browser to open the `welcome.html` file located in the top-level directory of the installation media.

For information about installing Oracle Database examples, see *Oracle Database Examples Installation Guide*.

2 Log On to the System with Administrator Privileges

Log on as a member of the Administrators group to the computer on which you want to install Oracle components. If you are installing on a Primary Domain Controller (PDC) or a Backup Domain Controller (BDC), log on as a member of the Domain Administrators group.

3 Check the Hardware Requirements

The following hardware components are required for installing Oracle Database:

Table 1 Hardware Requirements

Requirement	Minimum Value
Physical memory (RAM)	1 GB minimum
Virtual memory	Double the amount of RAM
Disk space	Total: 5.35 GB See Table 2 for details.
Processor Type	Intel (x86), AMD64, and Intel EM64T
Video adapter	256 colors
Screen Resolution	1024 X 768 minimum

3.1 Hard Disk Space Requirements

This section lists system requirements for Windows platforms that use the NT File System (NTFS). Oracle strongly recommends that you install the Oracle database home (Oracle database binaries, trace files, and so on) on Oracle ACFS or NTFS; the database files themselves must be placed on Oracle ASM if using Oracle ACFS; otherwise they can be placed on NTFS. Usage of Oracle ACFS and Oracle ASM or NTFS instead of FAT32 is recommended to ensure security of these files.

The NTFS system requirements listed in this section are more accurate than the hard disk values reported by the Oracle Universal Installer Summary window. The Summary window does not include accurate values for disk space, the space required to create a database, or the size of compressed files that are expanded on the hard drive.

The hard disk requirements for Oracle Database components include 32 MB to install Java Runtime Environment (JRE) and Oracle Universal Installer on the partition where the operating system is installed. If sufficient space is not detected, installation fails and an error message appears.

[Table 2](#) lists the space requirements on NTFS. The figures in this table include the starter database. FAT32 space requirements are slightly higher.

Table 2 Disk Space Requirements on NTFS

Installation Type	TEMP Space	C:\Program Files\Oracle	Oracle Home	Datafiles *	Total
Typical Installation	500 MB	4.0 MB	3.0 GB	1.86 GB	5.35 GB

* Refers to the contents of the `admin`, `cfgtoollogs`, `flash_recovery_area`, and `oradata` directories in the `ORACLE_BASE` directory.

** This size can be higher depending on the installation options selected, such as languages or additional components. If you choose to install Oracle Database with automated backups enabled, include at least 2 GB extra for data file disk space.

See Also: "NTFS File System and Windows Registry Permissions" in *Oracle Database Platform Guide for Microsoft Windows*

To ensure that the system meets these requirements, follow these steps:

1. Determine the physical RAM size. For example, on a Windows Server 2003 computer, double-click **System** in the Windows Control Panel and click the **General** tab.

On a Windows Server 2008 R2 computer, click **System and Security** in the Windows Control Panel, then click **System**.

If the size of the physical RAM installed in the system is less than the required size, then you must install more memory before continuing.

2. Determine the size of the configured virtual memory (also known as paging file size). For example, on a Windows 2003 computer, double-click **System**, click the **Advanced** tab, and click **Settings** in the Performance section. Then click the **Advanced** tab.

On a Windows Server 2008 R2 computer, click **System and Security**, then click **System**, click **Advanced System Settings**, click the **Advanced** tab on System Properties page, and then click **Settings** in the Performance section. Then select the **Advanced** tab on Performance Options page.

The virtual memory is listed in the Virtual Memory section.

If necessary, see your operating system documentation for information about how to configure additional virtual memory.

3. Determine the amount of free disk space on the system. For example, on a Windows 2003 computer, double-click **My Computer**, right-click the drive where the Oracle software is to be installed, and select **Properties**.

On a Windows Server 2008 R2 computer, right-click **My Computer** and click **Open**.

4. Determine the amount of disk space available in the `temp` directory. This is equivalent to the total amount of free disk space, minus what is needed for the Oracle software to be installed.

On Windows 32-bit, if there is less than 500 MB of disk space available in the `temp` directory, then delete all unnecessary files. If the temp disk space is still less than 500 MB, then set the `TEMP` or `TMP` environment variable to point to a different hard drive location.

For example, to change the environment variables on a Windows Server 2003 computer, double-click **System**, click the **Advanced** tab, and click **Environment Variables**.

On a Windows Server 2008 R2 computer, click **System and Security**, then click **System**, click **Advanced System Settings**, click the **Advanced** tab on System Properties page, and then click **Environment Variables**.

4 Check the Software Requirements

Table 3 lists the software requirements for Oracle Database.

Table 3 Software Requirements

Requirement	Value
Operating System	<p>Oracle Database for 32-bit Windows is supported on the following operating systems:</p> <ul style="list-style-type: none">■ Windows Server 2003 - all editions■ Windows Server 2003 R2 - all editions■ Windows XP Professional■ Windows Vista - Business, Enterprise, and Ultimate editions■ Windows Server 2008 - Standard, Enterprise, Datacenter, Web, and Foundation editions. The Server Core option is not supported. <p>Note: Check My Oracle Support (formerly Oracle<i>MetaLink</i>) for more information about Hyper-V support.</p> <ul style="list-style-type: none">■ Windows 7 - Professional, Enterprise, and Ultimate editions <p>Windows Multilingual User Interface Pack is supported.</p>
Compiler	<p>Pro*Cobol has been tested and certified with Net Express 5.0.</p> <p>The following components are supported with the Microsoft Visual C++ .NET 2005 8.0, Microsoft Visual C++ .NET 2008 9.0, and Intel 10.1 C compilers:</p> <ul style="list-style-type: none">■ Oracle Call Interface■ External callouts■ Pro*C/C++■ XDK <p>Oracle C++ Call Interface is supported with</p> <ul style="list-style-type: none">■ Microsoft Visual C++ .NET 2005 8.0■ Microsoft Visual C++ .NET 2008 9.0 - OCCI libraries are installed under <code>ORACLE_HOME\oci\lib\msvc\vc9</code>. When developing OCCI applications with MSVC++ 9.0, ensure that the OCCI libraries are correctly selected from this directory for linking and executing.■ Intel 10.1 C++ compiler with the relevant Microsoft Visual C++ .NET STLs.
Network Protocol	<p>The Oracle Net foundation layer uses Oracle protocol support to communicate with the following industry-standard network protocols:</p> <ul style="list-style-type: none">■ TCP/IP■ TCP/IP with SSL■ Named Pipes

Table 3 (Cont.) Software Requirements

Requirement	Value
Oracle Database Client	<p>If you plan to connect to Oracle Database 11g Release 2 (11.2) from a release of Oracle Database Client that is earlier than 11g Release 2 (11.2), the following conditions apply:</p> <ul style="list-style-type: none">■ Oracle Database Client is version 9.2.0.4 or higher. See Note 207303.1 on My Oracle Support (formerly OracleMetaLink) for more details and up to date information.■ If the earlier Oracle Database Client is running on the same computer as Oracle Database 11g Release 2 (11.2), a bequeath connection cannot be used. <p>Oracle recommends upgrading Oracle Database Client to the latest patchset (9.2.0.8, 10.2.0.4, or later). You can download the patchset from the Patches and Updates section of My Oracle Support (formerly OracleMetaLink) at https://support.oracle.com</p>

5 Default Share Configuration Requirement

The prerequisite checks during Oracle Database installation require that the system drive on your computer has default share configured on it. Use the `net use` command to verify, for example:

```
C:\>net use \\hostname\c$  
The command completed successfully.
```

Ensure that the current user, the user in the Administrator group, has all the privileges on the default share.

6 Web Browser Support

The following Web browsers are supported for Oracle Enterprise Manager Database Control:

- Netscape Navigator 8.1
- Netscape Navigator 9.0
- Microsoft Internet Explorer 6.0 SP2
- Microsoft Internet Explorer 7.0 SP1
- Microsoft Internet Explorer 8.0
- Firefox 2.0
- Firefox 3.0.7
- Firefox 3.5
- Firefox 3.6
- Safari 3.1
- Safari 3.2
- Safari 4.0.x
- Google Chrome 3.0
- Google Chrome 4.0

7 Installation Consideration on Windows Vista and Later

On Windows Vista, Windows Server 2008, Windows Server 2008 R2, and Windows 7, command prompts should be opened with Administrator privileges.

8 Install the Oracle Database Software

To install the Oracle Database software:

Note: If you run Oracle Universal Installer when the Windows Scheduler jobs are running, then you may encounter unexplained installation problems if your Windows Scheduler job is performing cleanup, and temporary files are deleted before the installation is finished. Oracle recommends that you complete installation before the Windows Scheduler jobs are run, or disable Windows Scheduler jobs that perform cleanup of temporary files until after the installation is completed.

1. Log on as a member of the Administrators group (typically, `oracle`) for the computer on which you want to install Oracle components.

If you are installing on a Primary Domain Controller (PDC) or a Backup Domain Controller (BDC), log on as a member of the Domain Administrators group.

2. If you are installing Oracle Database on a multihomed computer or a computer that uses multiple aliases, use the **System** in the Control Panel to create the `ORACLE_HOSTNAME` system environment variable. Set this variable to point to the host name of the computer on which you are installing Oracle Database.
3. Insert Oracle Database installation media and navigate to the `database\Disk1` directory. Alternatively, navigate to the directory where you downloaded or copied the installation files.

Use the same installation media to install Oracle Database on all supported Windows platforms.

4. Double-click `setup.exe` to start Oracle Universal Installer.

Downloading Updates Before Installation

Starting with Oracle Database 11g Release 2 (11.2.0.2), if you plan to run the installation in a secured data center, then you can download updates before starting the installation by starting Oracle Universal Installer on a system that has Internet access in update download mode. To start Oracle Universal Installer to download updates before installation, enter the following command:

```
setup.exe -downloadUpdates
```

Provide the My Oracle Support user name and password, and provide proxy settings if needed. After you download updates, transfer the update file to a directory on the server where you plan to run the installation.

5. Follow these guidelines to complete the installation:
 - Do not install Oracle Database 11g Release 2 (11.2) software into an existing Oracle home.

- Follow the instructions displayed in the Oracle Universal Installer screens. If you need additional information, click **Help**.
- When prompted for a password, follow these guidelines.

The installation does not continue if the following requirements are not met:

- Password cannot exceed 30 characters.
- Password cannot contain invalid characters: !@% ^ & * () + = \ | ` ~ [{] } ; : ' " , < > ?
- A user name cannot be a password.
- An empty password cannot be accepted.
- The SYS account password cannot be change_on_install. (case-insensitive)
- The SYSTEM account password cannot be manager. (case-insensitive)
- The SYSMAN account password cannot be sysman. (case-insensitive)
- The DBSNMP account password cannot be dbsnmp. (case-insensitive)
- If you choose to use the same password for all the accounts, then that password cannot be change_on_install, manager, sysman, or dbsnmp. (case-insensitive)

Note: You must remember the passwords that you specify.

- Do not modify the Java Runtime Environment (JRE) except by using a patch provided by Oracle Support Services. Oracle Universal Installer automatically installs the Oracle-supplied version of the JRE. This version is required to run Oracle Universal Installer and several Oracle assistants.
- If you encounter errors while installing or linking the software, see Appendix F in *Oracle Database Installation Guide for Microsoft Windows* for information about troubleshooting.
- If you chose an installation type that runs Database Configuration Assistant and Oracle Net Configuration Assistant in interactive mode, you must provide detailed information about configuring your database and network.

If you need assistance when using the Database Configuration Assistant or Oracle Net Configuration Assistant in interactive mode, click **Help** on any screen.

Note: If you chose a default installation, Database Configuration Assistant and Oracle Net Configuration Assistant run non-interactively.

6. When the Configuration Assistant tasks are complete, click **Finish**, click **Exit**, then click **Yes** to exit from Oracle Universal Installer.
7. Optionally, delete the `OraInstalldate_time` directory to remove the temporary files that were created during the installation process. The

OraInstalldate_time directory holds about 45 MB of files. This directory is created in the location set by the TEMP environment variable setting.

Restarting your computer also removes the OraInstalldate_time directory.

8. See Chapter 5 in *Oracle Database Installation Guide for Microsoft Windows* for information about postinstallation tasks that you must complete after you have installed Oracle Database.

Screen	Recommended Action
Configure Security Updates	<p>Enter your e-mail address, preferably your My Oracle Support (formerly OracleMetaLink) e-mail address or user name in the Email field.</p> <p>You can select the I wish to receive security updates via My Oracle Support check box to receive security updates.</p> <p>Enter your My Oracle Support (formerly OracleMetaLink) password in the My Oracle Support Password field.</p> <p>Click Next.</p>
Download Software Updates	<p>Starting with Oracle Database 11g Release 2 (11.2.0.2), you can use the Software Updates feature to dynamically download and apply latest updates. Select one of the following options, and click Next:</p> <ul style="list-style-type: none"> ■ Use My Oracle Support credentials for download: Select this option to download and apply the latest software updates. <p>Click Proxy Settings to configure a proxy for Oracle Universal Installer to use to connect to the Internet. Provide the proxy server information for your site, along with a user account that has access to the local area network through which the server is connecting.</p> <p>Click Test Connection to ensure that your proxy settings are correctly entered, and the installer can download the updates.</p> ■ Use pre-downloaded software updates: Select this option to apply the software updates previously downloaded using the -downloadUpdates flag. ■ Skip Software Updates: Select this option if you do not want to apply any updates.
Apply Software Updates	<p>This screen is displayed if you select to download the software updates or provide the pre-downloaded software updates location.</p> <p>If you selected Use My Oracle Support credentials for download in the previous screen, select Download and apply all updates, and then click Next.</p> <p>If you selected Use pre-downloaded software updates in the previous screen, select Apply all updates, and then click Next.</p>
Select Installation Option	<p>Select Create and Configure a Database from the following list of available options, then click Next:</p> <ul style="list-style-type: none"> ■ Create and Configure a Database: This option creates a new database along with sample schemas. ■ Install Database Software only: This option installs only the database binaries. To configure database, you must run Oracle Database Configuration Assistant after the software installation. ■ Upgrade an existing database: This option installs the software binaries in a new Oracle home. At the end of the installation, you can upgrade the existing database.
System Class	<p>Select Server Class from the following options to install the database, and click Next.</p> <ul style="list-style-type: none"> ■ Desktop Class: Choose this option if you are installing on a laptop or desktop class system. ■ Server Class: Choose this option if you are installing on a server class system, such as what you would use when deploying Oracle in a production data center. This option allows for more advanced configuration options.

Screen	Recommended Action
Grid Installation Options	<p>Select the type of database installation you want to perform, click Next.</p> <ul style="list-style-type: none"> ■ Single instance database installation: This option installs the database and the listener. ■ Oracle Real Application Clusters database installation: This option installs Oracle Real Application Clusters. ■ Oracle RAC One Node database installation: This option installs Oracle RAC One Noda database. <p>Note: Oracle RAC One Node is only supported with Oracle Clusterware.</p>
Select Install Type	<p>Select Typical Installation as the installation type from the following options, and then click Next:</p> <ul style="list-style-type: none"> ■ Typical Installation: This installation method is selected by default. It lets you quickly install Oracle Database using minimal input. It installs the software and optionally creates a general-purpose database using the information that you specify on this screen. ■ Advanced Installation: This installation method enables to perform more complex installations.
Typical Install Configuration	<p>Enter the following information according to your requirements:</p> <p>Oracle base: The Oracle base path appears by default. You can change the path based on your requirement.</p> <p>Software location: In the Software Location section, accept the default value or enter the Oracle home directory path in which you want to install Oracle components. The directory path should not contain spaces.</p> <p>Storage Type: Select File System, or Automatic Storage Management as the database storage option.</p> <p>Database file location: If you select File System as your storage type, then click Browse and specify a database file location.</p> <p>ASMSNMP Password: If you select Automatic Storage Management as your Storage Type, then specify the password for the ASM-SNMP user.</p> <p>Database Edition: Select the database edition to install.</p> <p>Global database name: Specify the Global Database Name using the following syntax:</p> <p><i>database_name.domain</i></p> <p>For example, <i>sales.us.example.com</i></p> <p>Administrative password: Enter the password for the privileged database account.</p> <p>Confirm Password: Reenter, and confirm the password for the privileged database account.</p> <p>Click Next to continue.</p>
Perform Prerequisite Checks	<p>This option checks if the minimum system requirements to perform the database installation are met.</p> <p>Click Fix & Check Again, if you want the installer to fix the problem and check the system requirements once more.</p> <p>If you click Check Again, then you can run the prerequisite check again to see if the minimum requirements are met to carry on with the database installation.</p> <p>To get a list of failed requirements, select Show Failed from the list. To get a list of all the prerequisite checks run by the OUI, select Show All. To get a list of the prerequisite checks that are successful, select Show Succeeded.</p> <p>Note: Oracle recommends that you use caution in checking the Ignore All option. If you check this option, then Oracle Universal Installer may not confirm that your system can install Oracle Database successfully.</p>

Screen	Recommended Action
Summary	Review the information displayed on this screen, and then click Finish . Note: Starting with Oracle Database 11g Release 2 (11.2), you can save all the installation steps into a response file by clicking Save Response File . Later, this file can be used for a silent installation.
Install Product	This screen displays the progress of a database installation. It also shows the status information while the product is being installed. Click Next . This screen then displays the status information for the configuration assistants that configure the software and create a database. When the message is displayed after Database Configuration Assistant process, click OK to continue.
Finish	This screen is shown automatically when all the configuration tools are successful. Click Close .

9 Installing Oracle Database Examples

If you plan to use the following products or features, then download and install the products from the Oracle Database Examples media:

- Oracle JDBC Development Drivers
- Oracle Database Examples
- Various Oracle product demonstrations

For information about installing software and various Oracle product demonstrations from the Oracle Database Examples media, see *Oracle Database Examples Installation Guide*.

10 What to Do Next?

To become familiar with this release of Oracle Database, Oracle suggests that you complete the following tasks:

- Log in to Oracle Enterprise Manager Database Control using a Web browser.
Oracle Enterprise Manager Database Control is a Web-based application that you can use to manage a single Oracle database. The default URL for Database Control is:
`http://host.domain:1158/em/`
Log in with the user name `SYS` and connect as `SYSDBA`. Use the password that you specified for this user during the Oracle Database installation.
- See Chapter 5 of *Oracle Database Installation Guide for Microsoft Windows* for information about required and optional postinstallation tasks, depending on the components to use.
- Review Chapter 6 of *Oracle Database Installation Guide for Microsoft Windows* for information about how to get started using Oracle Database.
- Read *Oracle Database 2 Day DBA* guide, to learn more about using Oracle Enterprise Manager Database Control to administer a database.

This guide, designed for new Oracle DBAs, describes how to use Oracle Enterprise Manager Database Control to manage all aspects of an Oracle database

installation. It also provides information about how to enable e-mail notifications and automated backups, which you might not have configured during the installation.

11 Additional Information

This section contains information about the following:

- [Product Licenses](#)
- [Purchasing Licenses, Version Updates, and Documentation](#)
- [Contacting Oracle Support Services](#)
- [Locating Product Documentation](#)

Product Licenses

You are welcome to install and evaluate the products included in this media pack for 30 days under the terms of the Trial License Agreement. However, you must purchase a program license to continue using any product after the 30 day evaluation period. See the following section for information about purchasing program licenses.

See Also: *Oracle Database Licensing Information*

Purchasing Licenses, Version Updates, and Documentation

You can purchase program licenses, updated versions of Oracle products from the Oracle Store Web site:

<https://shop.oracle.com/>

Contacting Oracle Support Services

If you have purchased Oracle Product Support, you can call Oracle Support Services for assistance 24 hours a day, seven days a week. For information about purchasing Oracle Product Support or contacting Oracle Support Services, go to the Oracle Support Services Web site:

<http://www.oracle.com/support/>

Locating Product Documentation

Documentation for Oracle products is available in both HTML and Adobe portable document format (PDF) formats from several locations:

- On the Oracle Database Documentation Library media:
Use a Web browser to view or open the `index.htm` file in the top-level directory on the media.
- From the Oracle Technology Network (OTN) Web site:

<http://www.oracle.com/technology/documentation/index.html>

To view PDF documents, download the free Adobe Acrobat Reader from the Adobe Web site, if necessary:

<http://www.adobe.com/>

12 Documentation Accessibility

Our goal is to make Oracle products, services, and supporting documentation accessible to all users, including users that are disabled. To that end, our documentation includes features that make information available to users of assistive technology. This documentation is available in HTML format, and contains markup to facilitate access by the disabled community. Accessibility standards will continue to evolve over time, and Oracle is actively engaged with other market-leading technology vendors to address technical obstacles so that our documentation can be accessible to all of our customers. For more information, visit the Oracle Accessibility Program Web site at <http://www.oracle.com/accessibility/>.

Accessibility of Code Examples in Documentation

Screen readers may not always correctly read the code examples in this document. The conventions for writing code require that closing braces should appear on an otherwise empty line; however, some screen readers may not always read a line of text that consists solely of a bracket or brace.

Accessibility of Links to External Web Sites in Documentation

This documentation may contain links to Web sites of other companies or organizations that Oracle does not own or control. Oracle neither evaluates nor makes any representations regarding the accessibility of these Web sites.

Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/support/contact.html> or visit <http://www.oracle.com/accessibility/support.html> if you are hearing impaired.

Oracle Database Quick Installation Guide, 11g Release 2 (11.2) for Microsoft Windows (32-Bit)
E16781-01

Copyright © 1996, 2010, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

