

Oracle® Data Provider for .NET

Oracle TimesTen In-Memory Database Support User's Guide

11g Release 2 (11.2) for Windows

E18485-03

January 2011

Oracle Data Provider for .NET (ODP.NET) is an implementation of the Microsoft ADO.NET interface. ODP.NET support for Oracle TimesTen In-Memory Database (TimesTen) provides fast and efficient ADO.NET data access from .NET client applications to TimesTen databases.

This document covers only those aspects of ODP.NET that are specific to its use in a TimesTen environment. For more general information, refer to *Oracle Data Provider for .NET Developer's Guide*.

You can use ODP.NET with any of the following TimesTen installations:

- TimesTen Data Manager only (for direct connections)
- TimesTen Client only (for client/server connections, assuming a TimesTen Data Manager instance and TimesTen Server instance are accessible elsewhere)
- TimesTen Data Manager with TimesTen Server and TimesTen Client (for either direct connect or client/server connections)

This document describes how to use ODP.NET in a TimesTen environment, covering the following topics:

- [Initial considerations for ODP.NET in a TimesTen environment](#)
- [Getting started with ODP.NET](#)
- [Configuring TimesTen connections for an ODP.NET application](#)
- [Testing your ODP.NET installation with TimesTen](#)
- [Development considerations for ODP.NET with TimesTen](#)
- [ODP.NET namespace and class support with TimesTen](#)

There is also a [Documentation Accessibility](#) section at the end of this document.

Initial considerations for ODP.NET in a TimesTen environment

This section discusses points you should be aware of before starting to use ODP.NET with TimesTen, covering the following topics:

- [Environments and TimesTen releases supported by ODP.NET](#)
- [Support for .NET-related features](#)
- [Requirements and prerequisites for using ODP.NET with TimesTen](#)
- [Related documents](#)

Environments and TimesTen releases supported by ODP.NET

Note the following:

- ODP.NET supports the .NET 2.0, 3.0, and 3.5 or greater frameworks with Microsoft Visual Studio 2005 or later, and the .NET 4.0 framework with Microsoft Visual Studio 2010.
- ODP.NET requires TimesTen Release 11.2.1.6.1 or later.
- ODP.NET for TimesTen is supported on all Microsoft Windows 32-bit and 64-bit platforms that support TimesTen.
- The 32-bit version of ODP.NET must be used with a 32-bit instance of the TimesTen database or TimesTen client. Likewise, the 64-bit version of ODP.NET must be used with a 64-bit instance of the TimesTen database or TimesTen client.

Support for .NET-related features

ODP.NET for TimesTen supports only a subset of features currently available in ODP.NET for Oracle Database. In particular, ODP.NET for TimesTen supports the following features:

- ODP.NET connection pooling
- ODP.NET tracing

ODP.NET for TimesTen does not support these features:

- Oracle Developer Tools for Visual Studio
- Oracle Database Extensions for .NET
- Oracle Providers for ASP.NET

Requirements and prerequisites for using ODP.NET with TimesTen

Note the following requirements in order to use ODP.NET with TimesTen:

- You must install TimesTen Data Manager or TimesTen Client on your system. TimesTen is not included with ODP.NET or OCI.
- ODP.NET support for TimesTen depends on Oracle Call Interface (OCI) support for TimesTen. Specifically, the OCI version included with Oracle Database release 11.2.0.2 is required. The current ODP.NET release must not, and will not, use the OCI version included with TimesTen, which is under the `tt_install_dir\ttoracle_home` directory, where `tt_install_dir` is the TimesTen installation root directory. (There is no issue, however, in using the TimesTen version of OCI for OCI or Pro*C/C++ programs that do not use ODP.NET. Refer to "TimesTen Support for Oracle Call Interface" and "TimesTen Support for Oracle Pro*C/C++ Precompiler" in *Oracle TimesTen In-Memory Database C Developer's Guide* for information on those programming interfaces.)

Also see "[Post-installation path considerations](#)" on page 6.

- Requirements for the execution environment to use ODP.NET with Oracle Database apply to using ODP.NET with TimesTen as well. Refer to *Oracle Data Provider for .NET Developer's Guide* for information.
- Your TimesTen installation must be installed with the PL/SQL option, and PL/SQL must be enabled for the TimesTen database through the connection attribute setting `PLSQL=1` (the default) or the ODBC Data Source Administrator.

Refer to the PL/SQL section of *Oracle TimesTen In-Memory Database Release Notes* for information about the small number of platforms that do not support PL/SQL.

Related documents

Some of the preceding discussion refers to documents in the Oracle TimesTen In-Memory Database and Oracle Database documentation libraries.

TimesTen documentation is available on the product distribution media, and on the Oracle Technology Network at the following location.

<http://www.oracle.com/technetwork/database/timesten/documentation/>

Oracle documentation is also available on the Oracle Technology network, at the following location.

<http://www.oracle.com/technetwork/database/enterprise-edition/documentation/>

Getting started with ODP.NET

This section discusses the following topics to help you start using ODP.NET. Note that installation steps are not TimesTen-specific.

- [Installing ODP.NET](#)
- [Post-installation path considerations](#)
- [Uninstalling ODP.NET](#)
- [Building an application for ODP.NET](#)

Installing ODP.NET

This section covers the following installations:

- [Install ODP.NET as part of the Oracle Database 11.2.0.2.0 patch set](#)
- [Install ODP.NET as part of ODAC 11.2.0.2.1 for Windows, OUI version](#)
- [Install ODP.NET as part of ODAC 11.2.0.2.1 for Windows, XCopy version](#)

The installation process for ODP.NET is independent of the TimesTen environment. Nothing is installed into the TimesTen installation directories.

Refer to *Oracle Data Provider for .NET Developer's Guide* for additional information about ODP.NET installation, including associated Windows registry entries.

Important:

- To use ODP.NET with TimesTen, ODP.NET should be installed on the same system as TimesTen Data Manager or TimesTen Client, and a TimesTen DSN must be configured. Refer to *Oracle TimesTen In-Memory Database Installation Guide* and *Oracle TimesTen In-Memory Database Operations Guide* for information about performing these steps.
 - It is recommended, but not required (unless otherwise noted), to remove any previous versions of ODP.NET before installing a new version.
 - After you have completed the installation steps, the location of ODP.NET binaries varies depending on your type of Oracle installation and version of .NET. Consult *Oracle Data Provider for .NET Developer's Guide* and the ODP.NET README file for information.
-
-

Install ODP.NET as part of the Oracle Database 11.2.0.2.0 patch set

Use these instructions to install ODP.NET as part of the Oracle Database 11.2.0.2.0 patch set.

This installation uses the Oracle Universal Installer (OUI), as would be the case in any Oracle Database environment. Run it by executing its `setup.exe` file (in the Disk1 location), then complete the following steps:

1. In the Select Installation Type dialog, typically choose the "Runtime" radio button, then choose **Next**.

(There are four installation options: Instant Client, Runtime, Custom, and Administrator. The Runtime option includes the Oracle client, which includes ODP.NET. The Instant Client option does not include ODP.NET. If you have reason to use a Custom installation, there is a check box to include ODP.NET.)
2. In the resulting Download Software Updates dialog, you may choose the "Skip software updates" radio button at your discretion, as appropriate for your situation. Choose **Next** when you have finished.
3. In the resulting Select Product Languages dialog, use the default English language setting (or choose a desired language), then choose **Next**.
4. In the resulting Specify Installation Location dialog, you can typically use the default values for the Oracle base path and software location. Alternatively:
 - a. Enter the path (or browse) to your Oracle home location for the Oracle base path.
 - b. Enter the path (or browse) to a desired directory location under the Oracle home location where the software files will be installed.

Important: Paths cannot include spaces.

5. The installer will perform prerequisite checks and display a Summary dialog. Choose **Install**.

Install ODP.NET as part of ODAC 11.2.0.2.1 for Windows, OUI version

Use these instructions to install ODP.NET as part of the Oracle Universal Installer (OUI) version of the Oracle Data Access Components (ODAC) 11.2.0.2.1 release.

Run OUI by executing its `setup.exe` file, which you can access in the staging directory into which you unzip the ODAC ZIP file for OUI installation, then complete the following steps:

1. In the OUI welcome page, choose **Next**.
2. In the page to select a product to install, choose "Oracle Data Access Components for Oracle Client 11.2.0.2.1". Then choose **Next**.
3. In the page to choose an installation location, you can either use the default value or specify an alternative location, as desired. Then choose **Next**.
4. In the page to choose available product components, confirm that Oracle Data Provider for .NET is selected (default). All other components are optional with respect to ODP.NET. Then choose **Next**.

Note: If Oracle Providers for ASP.NET is also selected, you will then see a page instructing you to run a set of SQL scripts at a specified location. *Note that Oracle Providers for ASP.NET is not relevant to TimesTen.*

5. If there are multiple versions of Visual Studio on your system, the "Oracle Developer Tools for Visual Studio" page lists the versions so you can choose which versions you would like to have configured with Oracle Data Access Components for Oracle Client. Then choose **Next**. *Note that Oracle Developer Tools for Visual Studio is not relevant to TimesTen.*

If your system has only one version of Visual Studio, that version is automatically configured with Oracle Data Access Components for Oracle Client and you will not see this page.

6. In the summary page, choose **Install**.

Install ODP.NET as part of ODAC 11.2.0.2.1 for Windows, XCopy version

Use these instructions to install ODP.NET as part of the Oracle XCopy version of the Oracle Data Access Components (ODAC) 11.2.0.2.1 release. The installation process is the same for the 64-bit version as for the 32-bit version.

XCopy provides system administrators with an ODP.NET client that is smaller in size than the standard ODP.NET client and can be configured more easily, with finer-grained control than OUI offers. This makes it more convenient for production deployments to large numbers of computers, and simplifies the embedding of ODP.NET in customized deployment packages.

This installation does *not* use the Oracle Universal Installer. Instead, run the installation by executing the `install.bat` batch file, which you can access in the installation directory into which you unzip the ODAC ZIP file for XCopy installation.

This is a summary of the installation instructions. For further details, refer to `readme.txt`, which will also be located in the installation directory.

Important: The `readme.txt` file includes the following points.

- Do not install XCopy over an existing OUI-based Oracle home installation.
 - If you do multiple ODAC product installations to the same directory, specify the same Oracle home name each time.
 - By default, ODAC products and dependencies will be installed without a check to see if there are newer product versions already installed.
-
-

Execute `install.bat` to specify the desired ODAC products to install. For example, assuming `C:\oracle\odac` is your installation directory and `odachome` is your Oracle home name for ODAC, use the following command to install the client with only ODP.NET 2.0 libraries:

```
install.bat odp.net2 C:\oracle\odac odachome
```

Or this command to install the client with only ODP.NET 4.0 libraries:

```
install.bat odp.net4 C:\oracle\odac odachome
```

Alternatively, use the following command to install the client with all ODAC products:

```
install.bat all C:\oracle\odac odachome
```

Post-installation path considerations

ODP.NET will always find and use the appropriate version of OCI; namely, the Oracle client version and not the TimesTen Instant Client version. In addition, check the following for your path:

1. Confirm that the `PATH` setting includes the location of the TimesTen shared libraries at `tt_install_dir\bin`, where `tt_install_dir` is the TimesTen installation root directory. This should follow any other Oracle directories in the path.
2. For an XCopy installation, add your ODAC installation directory and ODAC installation `bin` directory to the `PATH` setting, preceding any other Oracle directories, including TimesTen directories. For example, if `C:\oracle\odac` is the installation directory:

```
set PATH=C:\oracle\odac;C:\oracle\odac\bin;%PATH%
```

Note: Refer to the Oracle Data Provider for .NET README file for any further information about setting up ODP.NET.

Uninstalling ODP.NET

For information about uninstalling Oracle Database products, including ODP.NET, refer to "Removing Oracle Database Software" in *Oracle Database Installation Guide for Microsoft Windows*.

To uninstall an XCopy installation, execute the `uninstall.bat` batch file from your staging directory (refer to "[Install ODP.NET as part of ODAC 11.2.0.2.1 for Windows, XCopy version](#)" on page 5), specifying the product to uninstall (or all products) and

the Oracle home name for ODP products. For example, to uninstall a client with ODP.NET 2.0 libraries, assuming the Oracle home name is odachome:

```
uninstall.bat odp.net2 odachome
```

Or to uninstall all ODP products:

```
uninstall.bat all odachome
```

Building an application for ODP.NET

You can use the Visual Studio IDE to build your application, or you can use the `csc.exe` command-line compiler executed from the Visual Studio command prompt. The following example uses `csc.exe` (where the input is all one command line):

```
C:\Temp> csc /out:myapp.exe /reference:C:\app\mydir\path\  
Oracle.DataAccess.dll myapp.cs
```

```
Microsoft (R) Visual C# 2005 Compiler version 8.00.50727.3053  
for Microsoft (R) Windows (R) 2005 Framework version 2.0.50727  
Copyright (C) Microsoft Corporation 2001-2005. All rights reserved.
```

The location of the `Oracle.DataAccess.dll` assembly and dependent libraries is according to your type of Oracle installation and the .NET version (2.x or 4) of the ODP.NET assembly. Refer to *Oracle Data Provider for .NET Developer's Guide* and the ODP.NET README file for information.

Configuring TimesTen connections for an ODP.NET application

ODP.NET 11.2 supports multiple simultaneous connections to TimesTen and Oracle databases. Existing applications written for the ODP.NET interface can access TimesTen with a minimal set of changes to their application code.

In a TimesTen environment, ODP.NET uses OCI to interact with the TimesTen database. Therefore, an ODP.NET application can connect to TimesTen using either the `tnsnames` or the *easy connect* naming method, as with Oracle Database. See "Configuring Naming Methods" in *Oracle Database Net Services Administrator's Guide* for information about the `tnsnames` and *easy connect* naming methods beyond what is provided below.

This section covers the following topics:

- [Using the `tnsnames` naming method to connect](#)
- [Using the *easy connect* naming method to connect](#)
- [Configuring whether to use `tnsnames` or *easy connect* naming method](#)
- [Setting TimesTen connection attributes in ODP.NET connection strings](#)

Notes:

- TimesTen does not support distributed transactions through OCI. Therefore, an ODP.NET application cannot use distributed transactions in a TimesTen connection.
 - Error messages associated with connections to TimesTen from an ODP.NET application are based on the TimesTen OCI error message implementation. TimesTen OCI errors are propagated to the ODP.NET application as `OracleException` objects.
-
-

Using the tnsnames naming method to connect

TimesTen supports `tnsnames` syntax. You can use a TimesTen `tnsnames.ora` entry in the same way you would use an Oracle `tnsnames.ora` entry.

The syntax of a TimesTen entry in the `tnsnames.ora` file is as follows:

```
tns_entry = (DESCRIPTION =
              (CONNECT_DATA =
                (SERVICE_NAME = dsn)
                (SERVER = timesten_direct | timesten_client)))
```

Where `tns_entry` is an arbitrary TNS name you assign to the entry. Note the following:

- `DESCRIPTION` and `CONNECT_DATA` are required as shown.
- For `SERVICE_NAME`, `dsn` must be a TimesTen data source name (DSN) that is defined in the ODBC Data Source Administrator and is visible to the user running the ODP.NET application.
- For `SERVER`, `timesten_direct` specifies a direct connection to a TimesTen database, while `timesten_client` specifies a client/server connection. If you specify `timesten_direct`, then `dsn` must be a TimesTen Data Manager DSN. If you specify `timesten_client`, then `dsn` must be a TimesTen Client DSN.

The following is a sample `tnsnames.ora` entry for a direct connection to the TimesTen database referenced by the DSN `my_dsn`:

```
my_tnsname = (DESCRIPTION =
              (CONNECT_DATA =
                (SERVICE_NAME = my_dsn)
                (SERVER = timesten_direct)))
```

To connect as user `scott` with password `tiger` to the `my_dsn` TimesTen database that is referenced by the `my_tnsname` entry in the `tnsnames.ora` file, specify the following connection string in your ODP.NET application:

```
"User Id=scott;Password=tiger;Data Source=my_tnsname"
```

To connect as the current operating system user to `my_dsn` that is referenced by the `my_tnsname` entry in the `tnsnames.ora` file, specify the following connection string in your ODP.NET application. The current operating system user must be either the TimesTen instance administrator or a defined TimesTen external user.

```
"User Id=/;Data Source=my_tnsname"
```

Using the easy connect naming method to connect

TimesTen supports easy connect syntax, which allows connections to be made without configuring a `tnsnames.ora` entry. The syntax of a TimesTen easy connect string is as follows:

```
host/service_name:server
```

Note the following:

- A host name must be specified to satisfy easy connect syntax, but is otherwise ignored by TimesTen. The name `localhost` is typically used by convention.
- For `service_name`, specify a TimesTen DSN that is defined in the ODBC Data Source Administrator and is visible to the user running the ODP.NET application.
- For `server`, `timesten_direct` specifies a direct connection to a TimesTen database, while `timesten_client` specifies a client/server connection. If you specify `timesten_direct`, then `service_name` must be a TimesTen Data Manager DSN. If you specify `timesten_client`, then `service_name` must be a TimesTen Client DSN.

To establish a direct connection as user `scott` with password `tiger` to the TimesTen database referenced by the `my_dsn` DSN, specify the following connection string in your ODP.NET application:

```
"User Id=scott;Password=tiger;Data Source=localhost/my_dsn:timesten_direct"
```

To establish a direct connection as the current operating system user to the TimesTen database referenced by `my_dsn`, specify the following connection string in your ODP.NET application. The current operating system user must be either the TimesTen instance administrator or a defined TimesTen external user.

```
"User Id=/;Data Source=localhost/my_dsn:timesten_direct"
```

Configuring whether to use tnsnames or easy connect naming method

If a `sqlnet.ora` file is present, it specifies the naming methods that will be tried and the order in which they will be tried. ODP.NET will look for a `sqlnet.ora` file with the following precedence:

1. If the `TNS_ADMIN` environment variable has been set, it will look in that specified location.
2. If `TNS_ADMIN` has not been set, it will look in the Oracle Database default location as noted in "Parameters for the `sqlnet.ora` File" in *Oracle Database Net Services Reference*.

If `sqlnet.ora` is found, you can use only naming methods that are included there. If `sqlnet.ora` is not found, you can use either the `tnsnames` or easy connect naming method.

In TimesTen, sample copies of the `tnsnames.ora` and `sqlnet.ora` files are in the `tt_install_dir\network\admin\samples` directory, where `tt_install_dir` is the TimesTen installation root directory. The following is the `sqlnet.ora` file that TimesTen provides, which supports both the `tnsnames` naming method and the easy connect naming method:

```
# To use ezconnect syntax or tnsnames, the following entries must be
# included in the sqlnet.ora configuration.
NAMES.DIRECTORY_PATH= (TNSNAMES, EZCONNECT)
```

With this setting, ODP.NET will first look for `tnsnames` syntax in your connection strings. If it cannot find `tnsnames` syntax, it will look for easy connect strings.

Important: Oracle Database network libraries are included with ODP.NET. ODP.NET does *not* use the copy of the Oracle Database network libraries included with the Instant Client shipped with TimesTen. (That location, for reference, is `tt_install_dir\tooracle_home\instantclient_11_1`.)

Setting TimesTen connection attributes in ODP.NET connection strings

You can set TimesTen connection attributes within the `Password` setting of your ODP.NET connection string, with syntax as follows:

- Components of the `Password` setting, including the password setting itself and any TimesTen connection attribute settings, are delimited by semi-colons.
- Whenever the `Password` setting includes semi-colons, the entire setting must be quoted.
- Because the ODP.NET connection string as a whole is quoted, the begin quotation mark and end quotation mark of the `Password` setting must each be preceded by the `"\"` escape character.

The following example specifies `lion` as the password for user `scott` in TimesTen. It also sets the TimesTen `OraclePWD` connection attribute, which specifies the password `tiger` for user `scott` in Oracle Database, for use of Oracle In-Memory Database Cache (IMDB Cache).

```
"Data Source=mysource;User Id=scott;Password=\"lion;OraclePwd=tiger\"";
```

The next example once again specifies `lion` as the password for `scott` in TimesTen. This time, it sets the TimesTen `OracleNetServiceName` connection attribute as well as the `OraclePWD` connection attribute. `OracleNetServiceName` specifies the Oracle ID in Oracle Database, with the `OraclePWD` setting specifying the corresponding password `tiger`. Finally, this example sets the TimesTen `passthrough` level to 1.

```
"Data Source=mysource;User ID=scott;Password=\"lion;OraclePwd=tiger;OracleNetServiceName=mytest-pc.example.com;passthrough=1\"";
```

(For general information about TimesTen connection attributes, refer to "Connection Attributes" in *Oracle TimesTen In-Memory Database Reference*. For information about IMDB Cache and `passthrough` levels, refer to *Oracle In-Memory Database Cache User's Guide*.)

Note: As always, you can also set TimesTen connection attributes in your TimesTen DSN definition in ODBC Data Source Administrator, as shown in "Managing TimesTen Databases" in *Oracle TimesTen In-Memory Database Operations Guide*. This is not secure, however, so is not advisable for password settings such as the `OraclePWD` attribute.

Testing your ODP.NET installation with TimesTen

Perform the following steps to test ODP.NET with TimesTen in a .NET 2.x or 4.0 environment. (Remember that for .NET 4.0 you must install Visual Studio 2010 and work in Visual Studio Command Prompt 2010.)

You must have a TimesTen installation, including the Quick Start sample programs, to perform these tests.

1. Where `tt_install_dir` is the TimesTen installation root directory, execute the `build_sampledb.bat` script from the `tt_install_dir\quickstart\sample_scripts\createdb\` directory. This creates a TimesTen database, `sampledb_1121`, with users and objects.

2. Copy the ODP.NET sample program `DemoODP.cs` to your system. It is located in the following TimesTen Quick Start directory:

```
tt_install_dir\quickstart\sample_code\odp.net\
```

3. Create a `tnsnames.ora` file that contains the following:

```
SAMPLEDB_1121 =(DESCRIPTION=(CONNECT_DATA =  
    (SERVICE_NAME = SAMPLEDB_1121)(SERVER = timesten_direct)))
```

4. Open Visual Studio Command Prompt and set the environment variable `TNS_ADMIN` to specify the location of the `tnsnames.ora` file you created. For example:

```
>set TNS_ADMIN=c:\mytnsdir\sqlnet
```

5. Navigate to the directory where `DemoODP.cs` was placed and compile the `DemoODP` program. For example:

```
csc /out:DemoODP.exe /reference:C:\path\Oracle.DataAccess.dll DemoODP.cs
```

Note: The location of the `Oracle.DataAccess.dll` assembly and dependent libraries is according to your type of Oracle installation and the .NET version (2.x or 4) of the ODP.NET assembly. Refer to *Oracle Data Provider for .NET Developer's Guide* and the ODP.NET README file for information.

6. Execute `DemoODP` as follows. (The database name, user name, and password are determined automatically during execution of `build_sampledb.bat`.)

```
DemoODP -db sampledb_1121 -user appuser -passwd welcome1
```

This should produce the following output:

```
Start Test  
The employee who got the 10% pay raise was CLARK  
  
Employees in department #50:  
7944, ITMGR, MANAGER, 7839, 10/08/2010 10:34:20 AM, 2500, <NULL>, 50  
7945, DVLPR1, DEVELOPER, 7944, 10/08/2010 12:00:00 AM, 2000, <NULL>, 50  
7946, DVLPR2, DEVELOPER, 7944, 10/08/2010 12:00:00 AM, 2000, <NULL>, 50  
7947, DVLPR3, DEVELOPER, 7944, 10/08/2010 12:00:00 AM, 2000, <NULL>, 50  
7948, DVLPR4, DEVELOPER, 7944, 10/08/2010 12:00:00 AM, 2000, <NULL>, 50  
7949, DVLPR5, DEVELOPER, 7944, 10/08/2010 12:00:00 AM, 2000, <NULL>, 50  
7950, DVLPR6, DEVELOPER, 7944, 10/08/2010 12:00:00 AM, 2000, <NULL>, 50
```

```
7951, DVLPR7, DEVELOPER, 7944, 10/08/2010 12:00:00 AM, 2000, <NULL>, 50
7952, DVLPR8, DEVELOPER, 7944, 10/08/2010 12:00:00 AM, 2000, <NULL>, 50
7953, DVLPR9, DEVELOPER, 7944, 10/08/2010 12:00:00 AM, 2000, <NULL>, 50
7954, DVLPR10, DEVELOPER, 7944, 10/08/2010 12:00:00 AM, 2000, <NULL>, 50
Test finished
```

Development considerations for ODP.NET with TimesTen

This section discusses points to be aware of when developing applications to use ODP.NET in a TimesTen environment, covering the following topics:

- [Effects of transaction commits on result sets and REF CURSORS](#)
- [Support for TimesTen built-in procedures](#)
- [Known issues and limitations](#)
- [Troubleshooting](#)
- [The ttSrcScan utility](#)

Effects of transaction commits on result sets and REF CURSORS

When processing result sets generated from executing statements and creating REF CURSORS, the behavior when transactions in TimesTen connections are committed differs from that when transactions in Oracle Database connections are committed. When a transaction is committed in TimesTen while a result set of an `OracleDataReader` object is open, the result set will be closed automatically, unlike in an Oracle database. This applies to explicit commits, autocommit, and implicit commits.

In TimesTen, an implicit commit occurs after a DDL statement. In ODP.NET, an implicit commit also occurs when an `OracleCommand` object is executed without there first being an `OracleTransaction` object instantiated from the command connection. An explicit commit occurs when the `Commit` method is called on an `OracleTransaction` object. In either case, if a commit occurs in a TimesTen connection before a result set that is open in the transaction is completely processed, the "Function sequence error" exception may be thrown.

This difference in behavior is likely to occur when the execution of an `OracleCommand` object is interleaved with the processing of a result set associated with another `OracleCommand` object. To avoid the "Function sequence error" exception, the execution and processing of a result set should be contained exclusively within the context of an `OracleTransaction` object. This will prevent a commit from occurring before all rows of the result set are retrieved.

The occurrence of a "Function sequence error" exception may depend on the value of the `FetchSize` property of an `OracleCommand`, `OracleRefCursor` or `OracleDataReader` object. If the `FetchSize` property is not explicitly set or if it is set to a large value, then many rows may be fetched by the application before the "Function sequence error" exception is thrown.

Support for TimesTen built-in procedures

You can call TimesTen built-in procedures directly from TimesTen OCI only for built-ins that do not return a result set. Therefore, this restriction also applies to ODP.NET when used with TimesTen.

Use an `OracleCommand` instance to call a built-in, as in the following example. This assumes an `OracleConnection` instance `conn` with a connection to TimesTen has been established. Call the `Dispose` method to free resources when you have finished using the `OracleCommand` instance.

```
// switching to passthrough 1 mode using ttOptSetFlag built-in function
string switchModeStmt = "call ttOptSetFlag('passthrough', 1)";
OracleCommand switchCmd = new OracleCommand(switchModeStmt, conn);
switchCmd.CommandType = CommandType.Text;
switchCmd.ExecuteNonQuery();
switchCmd.Dispose();
```

For built-in procedures that do return a result set, the result set would not be accessible through ODP.NET. However, if you call the built-in from a PL/SQL program, you could access the result set as a REF CURSOR through PL/SQL.

Known issues and limitations

This section discusses limitations that are known as of release time.

- In TimesTen version 11.2.1.6.1, an attempt to write to protected memory may occur if you call PL/SQL procedures when statement caching is enabled (BugDB 10231354). To resolve this problem, upgrade to TimesTen version 11.2.1.7.0 or later.
- The self-tuning statement cache will disable itself if it detects that not enough memory is available for its operations. Note that when an application uses a direct (as opposed to client/server) connection to TimesTen, the entire database is loaded into memory, thereby reducing memory available for the statement cache and making this behavior more likely.

Troubleshooting

This section discusses solutions for various exceptions you may encounter.

- **Exception "ORA-44818: PL/SQL feature not installed in this TimesTen database"**
Enable PL/SQL for the TimesTen database by setting the `PLSQL` connection attribute to 1 in the ODBC Data Source Administrator. ODP.NET applications cannot connect to TimesTen databases that are not PL/SQL-enabled.
- **Exception "TimesTen database version is less than the minimum required version of 11.2.1.6.1"**
Change the service name in the `tnsnames` or easy connect entry to reference a TimesTen database of version 11.2.1.6.1 or greater. TimesTen ODP.NET applications cannot connect to TimesTen database versions prior to 11.2.1.6.1.
- **Exception "ORA-12154: TNS:could not resolve the connect identifier specified" or "ORA-12541: TNS:no listener"**
To connect to a TimesTen database from an ODP.NET application, the `Data Source` attribute in the ODP.NET connection string must be set either to the TNS name of a TimesTen entry in the `tnsnames.ora` file or to a TimesTen easy connect string.

If the `tnsnames` naming method is used to connect, verify that an entry in the `tnsnames.ora` file is associated with a TimesTen DSN. Also verify that the `TNS_ADMIN` environment variable is set to the directory where the `tnsnames.ora` file is located.

If the easy connect naming method is used to connect, verify that *service_name* is set to a TimesTen DSN and that *server* is set to either `timesten_direct` or `timesten_client`, depending on whether the DSN configures a direct connection or a client/server connection.

- **Exception "ORA-29158: Unable to open library"**

If you are connecting to a TimesTen database, verify either that the entry in the `tnsnames.ora` file is associated with a TimesTen DSN or that *service_name* in the easy connect string is set to a TimesTen DSN.

This error may also occur due to a path issue, if ODP.NET cannot find the TimesTen ODBC driver, which is located in the TimesTen `tt_install_dir\bin` directory. (Also see the next troubleshooting item.)

- **Exception "The application has failed to start because tcommon1121.dll was not found. Re-installing the application may fix the problem"**

This indicates that the location of the TimesTen shared libraries at `tt_install_dir\bin` is not included in the `PATH` environment variable setting.

- **Exception "Attempted to read or write protected memory. This is often an indication that other memory is corrupt."**

See "[Known issues and limitations](#)" on page 13.

The ttSrcScan utility

If you have an existing ODP.NET program and want to see whether it uses ODP.NET features that TimesTen does not support, you can use the `ttSrcScan` command line utility (version 11.2.1.8.0 or higher) to scan your program for unsupported functions, types, type codes, attributes, modes, and constants. This is a standalone utility that can be run without TimesTen or Oracle being installed and runs on any platform supported by TimesTen. It reads source code files as input and creates HTML and text files as output. If the utility finds unsupported items, then they are logged and alternatives are suggested. You can find the `ttSrcScan` executable in the `quickstart/sample_util` directory in your TimesTen installation.

Specify an input file or directory for the program to be scanned and an output directory for the `ttSrcScan` reports. Other options are available as well. See the README file in the `sample_util` directory for information.

ODP.NET namespace and class support with TimesTen

This reference section documents support for ODP.NET namespaces and classes in a TimesTen environment.

ODP.NET implements the classes, enumerations, interfaces, delegates, and structures of the `Oracle.DataAccess.Client` and `Oracle.DataAccess.Types` namespaces. The `Oracle.DataAccess.Client` namespace contains implementations of core ADO.NET classes, enumerations for ODP.NET, and ODP.NET-specific classes. The `Oracle.DataAccess.Types` namespace provides classes, structures, and exceptions for Oracle native types that can be used with ODP.NET. See *Oracle Data Provider for .NET Developer's Guide* for information about these namespaces beyond what is provided below. You must have access to them in your program as follows:

```
using Oracle.DataAccess.Client;  
using Oracle.DataAccess.Types;
```

The following sections list TimesTen support for the ODP.NET classes, enumerations and types of the `Oracle.DataAccess.Client` and `Oracle.DataAccess.Types` namespaces that are documented for Oracle Data Provider for .NET, 11g Release 2 (11.2.0.2):

[Oracle.DataAccess.Client namespace support](#)

[Oracle.DataAccess.Types namespace support](#)

Note: When connecting to a TimesTen database from an ODP.NET application, your application can use only ODP.NET features that correspond to features that TimesTen supports. This is reflected in what is supported for the namespaces discussed here.

For example, you cannot use Oracle Streams Advanced Queueing because TimesTen does not support this feature. `OracleException` objects are thrown when attempting to use ODP.NET features that are not supported by TimesTen. These exceptions are based on corresponding TimesTen OCI error messages.

Oracle.DataAccess.Client namespace support

The following tables list support for delegates, classes, and enumerations of the `Oracle.DataAccess.Client` namespace.

Table 1 Oracle.DataAccess.Client namespace delegate support

Delegate Name	Supported?
<code>OnChangeEventHandler</code>	No
<code>OracleAQMessageAvailableEventHandler</code>	No
<code>OracleFailoverEventHandler</code>	No
<code>OracleHAEEventHandler</code>	No
<code>OracleInfoMessageEventHandler</code>	Yes
<code>OracleRowsCopiedEventHandler</code>	No
<code>OracleRowUpdatedEventHandler</code>	Yes
<code>OracleRowUpdatingEventHandler</code>	Yes

Table 2 Oracle.DataAccess.Client namespace class support

Class Name	Supported?	Notes
<code>OracleAQAgent</code>	No	
<code>OracleAQDequeueOptions</code>	No	
<code>OracleAQEnqueueOptions</code>	No	
<code>OracleAQMessage</code>	No	
<code>OracleAQMessageAvailableEventArgs</code>	No	
<code>OracleAQQueue</code>	No	
<code>OracleBulkCopy</code>	No	

Table 2 (Cont.) Oracle.DataAccess.Client namespace class support

Class Name	Supported?	Notes
OracleBulkCopyColumnMapping	No	
OracleBulkCopyColumnMappingCollection	No	
OracleClientFactory	Yes	
OracleCommand	Yes	See "OracleCommand class support" on page 18 for information about TimesTen support for properties and public methods of this class.
OracleCommandBuilder	Yes	
OracleConnection	Yes	See "OracleConnection class support" on page 19 for information about TimesTen support for properties and public methods of this class.
OracleConnectionStringBuilder	Yes	
OracleDataAdapter	Yes	
OracleDataReader	Yes	See "OracleDataReader class support" on page 20 for information about TimesTen support for properties and public methods of this class.
OracleDataSourceEnumerator	Yes	
OracleDependency	No	
OracleError	Yes	
OracleErrorCollection	Yes	
OracleException	Yes	
OracleFailoverEventArgs	No	
OracleGlobalization	No	
OracleHAEEventArgs	No	
OracleInfoMessageEventArgs	Yes	
OracleNotificationEventArgs	No	
OracleNotificationRequest	No	
OracleParameter	Yes	
OracleParameterCollection	Yes	
OraclePermission	Yes	
OraclePermissionAttribute	Yes	
OracleRowsCopiedEventArgs	No	
OracleRowUpdatedEventArgs	Yes	
OracleRowUpdatingEventArgs	Yes	

Table 2 (Cont.) Oracle.DataAccess.Client namespace class support

Class Name	Supported?	Notes
OracleTransaction	Yes	See "OracleTransaction class support" on page 22 for information about TimesTen support for properties and public methods of this class.
OracleXmlQueryProperties	No	
OracleXmlSaveProperties	No	

Table 3 Oracle.DataAccess.Client namespace enumeration support

Enumeration Name	Supported?
FailoverEvent	No
FailoverReturnCode	No
FailoverType	No
OracleAQDequeueMode	No
OracleAQMessageDeliveryMode	No
OracleAQMessageState	No
OracleAQMessageType	No
OracleAQNavigationMode	No
OracleAQNotificationGroupingType	No
OracleAQNotificationType	No
OracleAQVisibilityMode	No
OracleBulkCopyOptions	No
OracleCollectionType	No
OracleDBShutdownMode	No
OracleDBStartupMode	No
OracleDbType	Yes
OracleHAEventSource	No
OracleHAEventStatus	No
OracleNotificationInfo	No
OracleNotificationSource	No
OracleNotificationType	No
OracleParameterStatus	Yes
OracleRowidInfo	No
OracleXmlCommandType	No

The rest of this section presents the following:

[OracleCommand class support](#)

[OracleConnection class support](#)

[OracleDataReader class support](#)

[OracleTransaction class support](#)

OracleCommand class support

The following tables list support for properties and methods of the `OracleCommand` class.

Table 4 *OracleCommand class property support*

Property Name	Supported?
AddRowid	No
AddToStatementCache	Yes
ArrayBindCount	Yes
BindByName	No
CommandText	Yes
CommandTimeout	No
CommandType	Yes
Connection	Yes
DesignTimeVisible	No
FetchSize	Yes
InitialLOBFetchSize	No
InitialLONGFetchSize	No
Notification	No
NotificationAutoEnlist	No
Parameters	Yes
RowSize	Yes
Transaction	Yes
UpdatedRowSource	Yes
XmlCommandType	No
XmlQueryProperties	No
XmlSaveProperties	No

Table 5 *OracleCommand class method support*

Method Name	Supported?
Cancel	No
Clone	Yes
CreateParameter	Yes
Dispose	Yes
ExecuteNonQuery	Yes
ExecuteReader	Yes
ExecuteScalar	Yes

Table 5 (Cont.) OracleCommand class method support

Method Name	Supported?
ExecuteStream	No
ExecuteToStream	No
ExecuteXmlReader	No

OracleConnection class support

The following tables list support for properties and methods of the OracleConnection class.

Table 6 OracleConnection class property support

Property Name	Supported?
IsAvailable	No
ActionName	No
ClientId	No
ConnectionString	Yes
ConnectionTimeout	Yes
Database	No
DatabaseDomainName	No
DatabaseName	No
DataSource	Yes
HostName	No
InstanceName	No
ModuleName	No
ServerVersion	Yes
ServiceName	No
State	Yes
StatementCacheSize	Yes

Table 7 OracleConnection class method support

Method Name	Supported?	Notes
ClearPool	Yes	
ClearAllPools	Yes	
BeginTransaction	Yes	
ChangeDatabase	No	
Clone	Yes	
Close	Yes	
CreateCommand	Yes	

Table 7 (Cont.) OracleConnection class method support

Method Name	Supported?	Notes
EnlistDistributedTransaction	No	TimesTen does not support distributed transactions through OCI. Therefore, an ODP.NET application cannot use distributed transactions in a TimesTen connection.
EnlistTransaction	No	See EnlistDistributedTransaction.
FlushCache	No	
GetSchema	Yes	Returns metadata collections of tables, columns, users, and other objects that allow application developers to discover and enumerate database information. This information is specific to TimesTen and may differ from corresponding metadata collections returned from Oracle Database. For example, TimesTen does not support the JavaClasses and XMLSchemas metadata collections because these object types are not supported by TimesTen.
GetSessionInfo	Yes	
Open	Yes	
OpenWithNewPassword	No	
PurgeStatementCache	Yes	
SetSessionInfo	No	

OracleConnectionType, an enumeration and public OracleConnection class property, allows an ODP.NET application to determine whether a particular connection object is associated with a TimesTen database connection, an Oracle database connection, or no physical connection at all. The property has the following signature:

```
public OracleConnectionType ConnectionType
```

It returns one of the following values from the OracleConnectionType enumeration:

OracleConnectionType.Undefined: No connection is associated with the OracleConnection object

OracleConnectionType.Oracle: The OracleConnection object is associated with an Oracle database

OracleConnectionType.TimesTen: The OracleConnection object is associated with a TimesTen database

OracleDataReader class support

The following tables list support for properties and methods of the OracleDataReader class.

Table 8 OracleDataReader class property support

Property Name	Supported?
Depth	Yes
FetchSize	Yes
FieldCount	Yes
HasRows	Yes
HiddenFieldCount	Yes
IsClosed	Yes
Item	Yes
InitialLOBFetchSize	No
InitialLONGFetchSize	No
RecordsAffected	No
RowSize	Yes
VisibleFieldCount	Yes

Table 9 OracleDataReader class method support

Method Name	Supported?
Close	Yes
Dispose	Yes
GetBoolean	No
GetByte	Yes
GetBytes	Yes
GetChar	Yes
GetChars	Yes
GetDataTypeName	Yes
GetDateTime	Yes
GetDecimal	Yes
GetDouble	Yes
GetEnumerator	No
GetFieldType	Yes
GetFloat	Yes
GetGuid	No
GetInt16	Yes
GetInt32	Yes
GetInt64	Yes
GetName	Yes
GetOracleBFile	No
GetOracleBinary	Yes

Table 9 (Cont.) OracleDataReader class method support

Method Name	Supported?
GetOracleBlob	No
GetOracleBlobForUpdate	No
GetOracleClob	No
GetOracleClobForUpdate	No
GetOracleDate	Yes
GetOracleDecimal	Yes
GetOracleIntervalDS	No
GetOracleIntervalYM	No
GetOracleRef	No
GetOracleString	Yes
GetOracleTimeStamp	Yes
GetOracleTimeStampLTZ	No
GetOracleTimeStampTZ	No
GetOracleXmlType	No
GetOracleValue	Yes
GetOracleValues	Yes
GetOrdinal	Yes
GetProviderSpecificFieldType	Yes
GetProviderSpecificValue	Yes
GetProviderSpecificValues	Yes
GetSchemaTable	Yes
GetString	Yes
GetTimeSpan	No
GetValue	Yes
GetValues	Yes
GetXmlReader	No
IsDBNull	Yes
NextResult	No
Read	Yes

OracleTransaction class support

The following tables list support for properties and methods of the OracleTransaction class.

Table 10 OracleTransaction class property support

Property Name	Supported?
IsolationLevel	Yes

Table 10 (Cont.) OracleTransaction class property support

Property Name	Supported?
Connection	Yes

Table 11 OracleTransaction class method support

Class Name	Supported?	Notes
Commit	Yes	
Dispose	Yes	
Rollback	Yes	
Rollback (string)	No	Transaction savepoints are not supported.
Save	No	Transaction savepoints are not supported.

Oracle.DataAccess.Types namespace support

The following tables list support for structures, exceptions, classes, interfaces, and enumerations of the `Oracle.DataAccess.Types` namespace.

Table 12 Oracle.DataAccess.Types namespace structure support

Structure Name	Supported?
OracleBinary	Yes
OracleDate	Yes
OracleDecimal	Yes
OracleIntervalDS	No
OracleIntervalYM	No
OracleString	Yes
OracleTimeStamp	Yes
OracleTimeStampLTZ	No
OracleTimeStampTZ	No

Table 13 Oracle.DataAccess.Types namespace exception support

Class Name	Supported?
OracleTypeException	Yes
OracleNullValueException	Yes
OracleTruncateException	Yes

Table 14 Oracle.DataAccess.Types namespace class support

Class Name	Supported?
OracleArrayMappingAttribute	No
OracleBFile	No
OracleBlob	No

Table 14 (Cont.) Oracle.DataAccess.Types namespace class support

Class Name	Supported?
OracleClob	No
OracleCustomTypeMappingAttribute	No
OracleObjectMappingAttribute	No
OracleRef	No
OracleRefCursor	Yes
OracleUdt	No
OracleXmlStream	No
OracleXmlType	No

Table 15 Oracle.DataAccess.Types namespace interface support

Interface Name	Supported?
IOracleArrayTypeFactory	No
OracleCustomType	No
IOracleCustomTypeFactory	No
INullable	Yes

Table 16 Oracle.DataAccess.Types namespace enumeration support

Enumeration Name	Supported?
OracleUdtFetchOption	No
OracleUdtStatus	No

Documentation Accessibility

Our goal is to make Oracle products, services, and supporting documentation accessible to all users, including users that are disabled. To that end, our documentation includes features that make information available to users of assistive technology. This documentation is available in HTML format, and contains markup to facilitate access by the disabled community. Accessibility standards will continue to evolve over time, and Oracle is actively engaged with other market-leading technology vendors to address technical obstacles so that our documentation can be accessible to all of our customers. For more information, visit the Oracle Accessibility Program Web site at <http://www.oracle.com/accessibility/>.

Accessibility of Code Examples in Documentation

Screen readers may not always correctly read the code examples in this document. The conventions for writing code require that closing braces should appear on an otherwise empty line; however, some screen readers may not always read a line of text that consists solely of a bracket or brace.

Accessibility of Links to External Web Sites in Documentation

This documentation may contain links to Web sites of other companies or organizations that Oracle does not own or control. Oracle neither evaluates nor makes any representations regarding the accessibility of these Web sites.

Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/support/contact.html> or visit <http://www.oracle.com/accessibility/support.html> if you are hearing impaired.

Oracle Data Provider for .NET Oracle TimesTen In-Memory Database Support User's Guide, 11g Release 2 (11.2) for Windows
E18485-03

Copyright © 1996, 2011, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

